

Lights Summary

	Count	Mode	DMX Adresses	Parameters	16A Circuits	Dimmer Circuits	Peak Power 230V	Typical Current 230V	Weight kg
—DnB Telenor Arena 2017—	2 742		11 352	10 344	622	9	907 482	549 550	23 473
LX1	7		197	175	6	0	5 528	5 028	195
Martin MAC Viper Profile	2	<i>Extended (34ch) Profile</i>	68	60	2,00		2 372	2 200	76,00
Martin MAC Quantum Wash	2	<i>Extended (33ch) Wash</i>	66	58	2,00		2 040	1 712	44,00
Martin RUSH MH7 Hybrid	3	<i>Standard (21ch) MH7</i>	63	57	1,50		1 116	1 116	75,00
LX2	7		197	175	6	0	5 528	5 028	195
Martin MAC Viper Profile	2	<i>Extended (34ch) Profile</i>	68	60	2,00		2 372	2 200	76,00
Martin MAC Quantum Wash	2	<i>Extended (33ch) Wash</i>	66	58	2,00		2 040	1 712	44,00
Martin RUSH MH7 Hybrid	3	<i>Standard (21ch) MH7</i>	63	57	1,50		1 116	1 116	75,00
LX3	25		727	645	21	0	21 328	19 484	737
Martin MAC Viper Profile	10	<i>Extended (34ch) Profile</i>	340	300	10,00		11 860	11 000	380,00
Martin MAC Quantum Wash	6	<i>Extended (33ch) Wash</i>	198	174	6,00		6 120	5 136	132,00
Martin RUSH MH7 Hybrid	9	<i>Standard (21ch) MH7</i>	189	171	4,50		3 348	3 348	225,00
LX4	7		197	175	6	0	5 528	5 028	195
Martin MAC Viper Profile	2	<i>Extended (34ch) Profile</i>	68	60	2,00		2 372	2 200	76,00
Martin MAC Quantum Wash	2	<i>Extended (33ch) Wash</i>	66	58	2,00		2 040	1 712	44,00
Martin RUSH MH7 Hybrid	3	<i>Standard (21ch) MH7</i>	63	57	1,50		1 116	1 116	75,00
LX5	7		197	175	6	0	5 528	5 028	195
Martin MAC Viper Profile	2	<i>Extended (34ch) Profile</i>	68	60	2,00		2 372	2 200	76,00
Martin MAC Quantum Wash	2	<i>Extended (33ch) Wash</i>	66	58	2,00		2 040	1 712	44,00
Martin RUSH MH7 Hybrid	3	<i>Standard (21ch) MH7</i>	63	57	1,50		1 116	1 116	75,00
LX6	15		505	445	15	0	16 960	15 280	490
Martin MAC Viper Profile	10	<i>Extended (34ch) Profile</i>	340	300	10,00		11 860	11 000	380,00
Martin MAC Quantum Wash	5	<i>Extended (33ch) Wash</i>	165	145	5,00		5 100	4 280	110,00
LX7	18		378	342	9	0	6 696	6 696	450
Martin RUSH MH7 Hybrid	18	<i>Standard (21ch) MH7</i>	378	342	9,00		6 696	6 696	450,00
LX8	11		308	276	8	0	8 162	7 732	341
Martin MAC Viper Performance	2	<i>Extended (40ch) Performance</i>	80	72	2,00		2 372	2 200	77,00
Martin MAC Viper Profile	3	<i>Extended (34ch) Profile</i>	102	90	3,00		3 558	3 300	114,00
Martin RUSH MH7 Hybrid	6	<i>Standard (21ch) MH7</i>	126	114	3,00		2 232	2 232	150,00
LX9	11		308	276	8	0	8 162	7 732	341
Martin MAC Viper Performance	2	<i>Extended (40ch) Performance</i>	80	72	2,00		2 372	2 200	77,00
Martin MAC Viper Profile	3	<i>Extended (34ch) Profile</i>	102	90	3,00		3 558	3 300	114,00

	Count	Mode	DMX Adresses	Parameters	16A Circuits	Dimmer Circuits	Peak Power 230V	Typical Current 230V	Weight kg
Martin RUSH MH7 Hybrid	6	Standard (21ch) MH7	126	114	3,00		2 232	2 232	150,00
Ladder1	10		185	167	8	0	13 232	4 090	225
Martin MAC Viper Profile	2	Extended (34ch) Profile	68	60	2,00		2 372	2 200	76,00
Martin RUSH MH7 Hybrid	5	Standard (21ch) MH7	105	95	2,50		1 860	1 860	125,00
Martin Atomic 3000 DMX	3	Effect (4ch) Atomic	12	12	3,00		9 000	30	24,00
Ladder2	10		185	167	8	0	13 232	4 090	225
Martin MAC Viper Profile	2	Extended (34ch) Profile	68	60	2,00		2 372	2 200	76,00
Martin RUSH MH7 Hybrid	5	Standard (21ch) MH7	105	95	2,50		1 860	1 860	125,00
Martin Atomic 3000 DMX	3	Effect (4ch) Atomic	12	12	3,00		9 000	30	24,00
Ladder3	10		185	167	8	0	13 232	4 090	225
Martin MAC Viper Profile	2	Extended (34ch) Profile	68	60	2,00		2 372	2 200	76,00
Martin RUSH MH7 Hybrid	5	Standard (21ch) MH7	105	95	2,50		1 860	1 860	125,00
Martin Atomic 3000 DMX	3	Effect (4ch) Atomic	12	12	3,00		9 000	30	24,00
Ladder4	10		185	167	8	0	13 232	4 090	225
Martin MAC Viper Profile	2	Extended (34ch) Profile	68	60	2,00		2 372	2 200	76,00
Martin RUSH MH7 Hybrid	5	Standard (21ch) MH7	105	95	2,50		1 860	1 860	125,00
Martin Atomic 3000 DMX	3	Effect (4ch) Atomic	12	12	3,00		9 000	30	24,00
Ladder5	10		185	167	8	0	13 232	4 090	225
Martin MAC Viper Profile	2	Extended (34ch) Profile	68	60	2,00		2 372	2 200	76,00
Martin RUSH MH7 Hybrid	5	Standard (21ch) MH7	105	95	2,50		1 860	1 860	125,00
Martin Atomic 3000 DMX	3	Effect (4ch) Atomic	12	12	3,00		9 000	30	24,00
Ladder6	10		185	167	8	0	13 232	4 090	225
Martin MAC Viper Profile	2	Extended (34ch) Profile	68	60	2,00		2 372	2 200	76,00
Martin RUSH MH7 Hybrid	5	Standard (21ch) MH7	105	95	2,50		1 860	1 860	125,00
Martin Atomic 3000 DMX	3	Effect (4ch) Atomic	12	12	3,00		9 000	30	24,00
LX11	23		660	588	16	0	18 018	16 580	561
Martin MAC Viper Performance	13	Extended (40ch) Performance	520	468	13,00		15 418	14 300	500,50
Martin MAC Aura	10	Basic (14ch) Aura	140	120	2,50		2 600	2 280	60,00
LX12	7		234	206	7	0	7 638	6 724	202
Martin MAC Viper Profile	3	Extended (34ch) Profile	102	90	3,00		3 558	3 300	114,00
Martin MAC Quantum Wash	4	Extended (33ch) Wash	132	116	4,00		4 080	3 424	88,00
LX13	7		234	206	7	0	7 638	6 724	202
Martin MAC Viper Profile	3	Extended (34ch) Profile	102	90	3,00		3 558	3 300	114,00
Martin MAC Quantum Wash	4	Extended (33ch) Wash	132	116	4,00		4 080	3 424	88,00
LX14	13		262	228	6	0	7 084	6 452	206

	Count	Mode	DMX Adresses	Parameters	16A Circuits	Dimmer Circuits	Peak Power 230V	Typical Current 230V	Weight kg
Martin MAC Viper Profile	4	Extended (34ch) Profile	136	120	4,00		4 744	4 400	152,00
Martin MAC Aura	9	Basic (14ch) Aura	126	108	2,25		2 340	2 052	54,00
LX15	29		305	297	6	0	9 610	7 978	229
Vari Lite VL3500 FX Wash	3	22ch (22ch) VL3500W FX	66	60	3,00		6 900	6 000	135,00
Martin MAC Aura	1	Basic (14ch) Aura	14	12	0,25		260	228	6,00
Bright XLED	25	9ch (9ch) XLED	225	225	2,50		2 450	1 750	87,50
LX16	34		350	342	6	0	10 100	8 328	246
Vari Lite VL3500 FX Wash	3	22ch (22ch) VL3500W FX	66	60	3,00		6 900	6 000	135,00
Martin MAC Aura	1	Basic (14ch) Aura	14	12	0,25		260	228	6,00
Bright XLED	30	9ch (9ch) XLED	270	270	3,00		2 940	2 100	105,00
LX17	37		452	434	9	0	14 772	12 528	368
Vari Lite VL3500 FX Wash	4	22ch (22ch) VL3500W FX	88	80	4,00		9 200	8 000	180,00
Martin MAC Viper Performance	2	Extended (40ch) Performance	80	72	2,00		2 372	2 200	77,00
Martin MAC Aura	1	Basic (14ch) Aura	14	12	0,25		260	228	6,00
Bright XLED	30	9ch (9ch) XLED	270	270	3,00		2 940	2 100	105,00
LX18	35		390	378	7	0	11 286	9 428	285
Vari Lite VL3500 FX Wash	3	22ch (22ch) VL3500W FX	66	60	3,00		6 900	6 000	135,00
Martin MAC Viper Performance	1	Extended (40ch) Performance	40	36	1,00		1 186	1 100	38,50
Martin MAC Aura	1	Basic (14ch) Aura	14	12	0,25		260	228	6,00
Bright XLED	30	9ch (9ch) XLED	270	270	3,00		2 940	2 100	105,00
LX19	23		269	259	5	0	7 908	6 658	201
Vari Lite VL3500 FX Wash	2	22ch (22ch) VL3500W FX	44	40	2,00		4 600	4 000	90,00
Martin MAC Viper Performance	1	Extended (40ch) Performance	40	36	1,00		1 186	1 100	38,50
Martin MAC Aura	1	Basic (14ch) Aura	14	12	0,25		260	228	6,00
Bright XLED	19	9ch (9ch) XLED	171	171	1,90		1 862	1 330	66,50
LX20	38		417	405	8	0	11 580	9 638	295
Vari Lite VL3500 FX Wash	3	22ch (22ch) VL3500W FX	66	60	3,00		6 900	6 000	135,00
Martin MAC Viper Performance	1	Extended (40ch) Performance	40	36	1,00		1 186	1 100	38,50
Martin MAC Aura	1	Basic (14ch) Aura	14	12	0,25		260	228	6,00
Bright XLED	33	9ch (9ch) XLED	297	297	3,30		3 234	2 310	115,50
LX21	37		452	434	9	0	14 772	12 528	368
Vari Lite VL3500 FX Wash	4	22ch (22ch) VL3500W FX	88	80	4,00		9 200	8 000	180,00
Martin MAC Viper Performance	2	Extended (40ch) Performance	80	72	2,00		2 372	2 200	77,00
Martin MAC Aura	1	Basic (14ch) Aura	14	12	0,25		260	228	6,00
Bright XLED	30	9ch (9ch) XLED	270	270	3,00		2 940	2 100	105,00

	Count	Mode	DMX Adresses	Parameters	16A Circuits	Dimmer Circuits	Peak Power 230V	Typical Current 230V	Weight kg
LX22	34		350	342	6	0	10 100	8 328	246
Vari Lite VL3500 FX Wash	3	22ch (22ch) VL3500W FX	66	60	3,00		6 900	6 000	135,00
Martin MAC Aura	1	Basic (14ch) Aura	14	12	0,25		260	228	6,00
Bright XLED	30	9ch (9ch) XLED	270	270	3,00		2 940	2 100	105,00
LX23	29		305	297	6	0	9 610	7 978	229
Vari Lite VL3500 FX Wash	3	22ch (22ch) VL3500W FX	66	60	3,00		6 900	6 000	135,00
Martin MAC Aura	1	Basic (14ch) Aura	14	12	0,25		260	228	6,00
Bright XLED	25	9ch (9ch) XLED	225	225	2,50		2 450	1 750	87,50
LX24	13		262	228	6	0	7 084	6 452	206
Martin MAC Viper Profile	4	Extended (34ch) Profile	136	120	4,00		4 744	4 400	152,00
Martin MAC Aura	9	Basic (14ch) Aura	126	108	2,25		2 340	2 052	54,00
FS1	2		3	3	2	0	3 200	600	79
Robert Juliat Merlin 2,5kW HMI	1	3ch (3ch) Merlin	3	3	1,00		3 000	500	78,00
Utility Power	1	0ch	0	0	1,00		200	100	1,00
FS2	2		3	3	2	0	3 200	600	79
Robert Juliat Merlin 2,5kW HMI	1	3ch (3ch) Merlin	3	3	1,00		3 000	500	78,00
Utility Power	1	0ch	0	0	1,00		200	100	1,00
FS3	3		43	39	3	0	4 386	1 700	118
Martin MAC Viper Performance	1	Extended (40ch) Performance	40	36	1,00		1 186	1 100	38,50
Robert Juliat Merlin 2,5kW HMI	1	3ch (3ch) Merlin	3	3	1,00		3 000	500	78,00
Utility Power	1	0ch	0	0	1,00		200	100	1,00
FS4	3		43	39	3	0	4 386	1 700	118
Martin MAC Viper Performance	1	Extended (40ch) Performance	40	36	1,00		1 186	1 100	38,50
Robert Juliat Merlin 2,5kW HMI	1	3ch (3ch) Merlin	3	3	1,00		3 000	500	78,00
Utility Power	1	0ch	0	0	1,00		200	100	1,00
KX1	20		0	0	3	0	8 000	6 000	210
Kinetic Winch LED 4,0 w/ Sphere 50	20	0ch (Kinetic Control)	0	0	3,33		8 000	6 000	210,00
KX2	10		0	0	2	0	4 000	3 000	105
Kinetic Winch LED 4,0 w/ Sphere 50	10	0ch (Kinetic Control)	0	0	1,67		4 000	3 000	105,00
KX3	20		0	0	3	0	8 000	6 000	210
Kinetic Winch LED 4,0 w/ Sphere 50	20	0ch (Kinetic Control)	0	0	3,33		8 000	6 000	210,00
KX4	11		0	0	2	0	4 400	3 300	116
Kinetic Winch LED 4,0 w/ Sphere 50	11	0ch (Kinetic Control)	0	0	1,83		4 400	3 300	115,50
KX5	28		0	0	5	0	11 200	8 400	294
Kinetic Winch LED 4,0 w/ Sphere 50	28	0ch (Kinetic Control)	0	0	4,67		11 200	8 400	294,00

	Count	Mode	DMX Adresses	Parameters	16A Circuits	Dimmer Circuits	Peak Power 230V	Typical Current 230V	Weight kg
A STG Upstage	47		559	499	19	9	40 118	9 026	609
Martin MAC Aura	16	Basic (14ch) Aura	224	192	4,00		4 160	3 648	96,00
Martin RUSH MH7 Hybrid	14	Standard (21ch) MH7	294	266	7,00		5 208	5 208	350,00
Martin Atomic 3000 DMX	8	Effect (4ch) Atomic	32	32	8,00		24 000	80	64,00
Thomas Patt 2013 HPL	9	1ch (1ch) Dim	9	9	0,00	9,00	6 750	90	99,00
A STG SR	3		42	36	1	0	780	684	18
Martin MAC Aura	3	Basic (14ch) Aura	42	36	0,75		780	684	18,00
A STG SL	3		42	36	1	0	780	684	18
Martin MAC Aura	3	Basic (14ch) Aura	42	36	0,75		780	684	18,00
A STG Downstage	8		112	96	2	0	2 080	1 824	48
Martin MAC Aura	8	Basic (14ch) Aura	112	96	2,00		2 080	1 824	48,00
B STG	56		980	868	10	0	8 960	7 152	560
Martin MAC Aura	4	Basic (14ch) Aura	56	48	1,00		1 040	912	24,00
Martin RUSH MH7 Hybrid	10	Standard (21ch) MH7	210	190	5,00		3 720	3 720	250,00
Ayrton MagicDot XT	42	17ch (17ch) MagicDot	714	630	4,20		4 200	2 520	285,60
Off Stage Right	6		4	4	5	0	5 470	5 450	92
Martin JEM ZR44 Hi-Mass	2	Smoke (1ch) JEM	2	2	2,00		3 800	3 780	40,00
Martin JEM AF-1 MKII	2	Smoke (1ch) JEM	2	2	0,50		240	240	18,00
MDG Touring	2	0ch (Manual)	0	0	2,00		1 430	1 430	34,00
Off Stage Left	6		4	4	5	0	5 470	5 450	92
Martin JEM ZR44 Hi-Mass	2	Smoke (1ch) JEM	2	2	2,00		3 800	3 780	40,00
Martin JEM AF-1 MKII	2	Smoke (1ch) JEM	2	2	0,50		240	240	18,00
MDG Touring	2	0ch (Manual)	0	0	2,00		1 430	1 430	34,00